

Contents

<i>Preface</i>	9
<i>Preface to the 2nd Edition</i>	11
<i>Introduction</i>	15

Part 1: Aromatic Therapy

1. A Historical Perspective	21
Ancient origins and early days	21
Au naturel, en plein air	21
Fire and incense	23
Medicinal perfume	28
Ancient Rome	30
Quintessence	31
Attars	32
Combating malodours – the source of disease	34
Some perfumers were pharmacists and some pharmacists were perfumers	38
The aromatic wheel turns full circle...	39
2. The Aromatherapeutic Renaissance	40
The old and the new	40
The aromatherapeutic renaissance	41
Gattefossé – the father	41
Valnet – the doctor	42
Maury – the mother	43
Girault and Belaiche – the clinicians	43
Pénoël and Franchomme – holistic and scientific aromathérapie	44
Viaud and therapeutic quality	45
Mailhebiau, Duraffourd and Lapraz – the terrain, endobiogenics and the Law of All or Nothing	45
Tisserand – the emergence and growth of aromatherapy	46
3. Scent and the Significance of Olfaction.	49
The anatomy and physiology of olfaction	49
Olfactory perception	51
Some theoretical perspectives on olfaction	52
The steric theory	52
Combinatorial diversity	53
The vibrational-induced electron tunnelling spectroscopy theory	53
Modulation by the peripheral olfactory system	53
The biological significance of odour and olfaction	55
Olfactory conditioning, associative learning and the immune system	56
Olfaction and metabolism	56
Olfaction and eating	57
Olfaction, stress and somatic disorders	57

Effects of odour on the psyche	60	Odour alignment – vitalistic perspectives, fragrance and feelings	72
Psycho-aromatherapy	60		
The challenges of research design	68	The Greek Four Elements as a model for aromatic prescribing	73
The therapeutic potential of aroma	71	Mood profiling	76
		Fragrance and the articulation of feelings	77
		Ancient Eastern perspectives and contemporary aromatherapy	78
4. Transdermal and Respiratory Routes	79		
Absorption through the skin	79	Pharmacokinetics and pharmacodynamics	83
How much is absorbed?	81	Distribution	83
Inhalation	82	Metabolism	84
How much is absorbed?	83	Excretion of essential oils and their metabolites	85
5. Botanical Principles and the Biogenesis of Volatile Oils	86		
Botany in context	86	Gaseous exchange	104
An overview of aromatic plants – their geographical and botanical sources	86	Transport of water	105
Taxonomy	88	Transport of food substances	105
The gymnosperms and angiosperms	92	Excretion	106
The gymnosperms	92	Responsiveness and coordination	106
The angiosperms	92	Duration	107
Plant anatomy	95	Woody and herbaceous plants	107
Plant cells	95	Plants and environmental stress	108
Plant tissues	96	Volatile oil origins	109
The gross structure of angiosperms	98	Single secretory cells	110
Roots and rhizomes	98	Secretory cavities	111
Stems	99	Vittae	111
Leaves	99	Glandular trichomes	111
Flowers	100	Epidermal cells and osmophores	112
Fruits	102	The biosynthesis of plant volatile oils	112
Seeds	102	Terpenes and their derivatives the terpenoids	113
Plant physiology	102	Phenylpropanoids	114
Photosynthesis	103	The biological and ecological roles of plant volatile oils	115
Respiration	104	Essential oils and absolutes	119
		Essential oils – products of distillation and expression	119

6. Essential Oil Chemistry	123
An introduction to essential oil chemistry	123
The terpenes	123
Monoterpenes	124
The exception...	126
Sesquiterpenes	126
Oxygenated derivatives of the terpenes	127
Monoterpene alcohols	128
Phenols derived from monoterpenes	128
Monoterpene aldehydes	129
Monoterpene ketones	129
Terpenoid esters	130
Monoterpene oxides	130
Sesquiterpenoids	131
Phenylpropane derivatives	131
Phenols	131
Aromatic alcohols	132
Aromatic esters	132
Phenolic ethers	132
Other constituents	133
Carboxylic acids	133
Furanocoumarins	133
Fatty aldehydes	134
Functional groups containing the nitrogen atom	134
Functional groups containing the sulphur atom	134
A note on isomerism	135
The composition of essential oils	136
7. Aromatic Pharmacognosy	138
Antioxidant activity and oxidative stress	139
Autophagy stimulation	141
Antitumoral activity	142
Apoptosis	142
Inhibition of angiogenesis	143
Antimutagenic activity	143
Detoxification	143
Oestrogenic activity	145
Anti-inflammatory activity	147
Immunomodulation	149
Spasmolytic and relaxant actions	152
Spasmolytic activity	152
Cardiovascular effects	153
Broncholytic actions	155
Antimicrobial actions	158
Bacteria	158
Fungi	162
Viruses	164
Pesticides – acaricidal and repellent actions	165
Acaricides	167
Repellent activity – mosquitoes, fleas and ticks	169
Skin repair and wound healing	174
Antidepressant and anxiolytic actions	176
Anxiety – GABA-ergic neuromodulation	177
Depression – monoaminergic modulation	178
Autonomic modulation	180
Modulation of cognitive functioning	182
Impaired cognitive functioning – Alzheimer's disease and dementia	183
Anticholinesterase action	183
Memory enhancement	185
The endocannabinoid system	185
Phytocannabinoids and essential oils	186

8. Aromatic Formulations	188
Synergy and essential oil blending	188
Designing the IP	190
Assessment and treatment planning – the design brief	191
Essential oil blending	192
Aromatic formulations in tandem – the case for more than one IP	202
Lipophilic, hydrophobic and volatile – positives and negatives	203
Less is more?	204
Inhalation	205
Topical applications	207
Carriers for base formulae	209
Formulating	218
Is ‘more’ ever better than ‘less’?	219
The anosmic client	220

Part 2: Aromatics

9. Component Profiles	225
Component profiles	226
Monoterpenes	226
Camphene	226
δ -3-Carene	227
para-Cymene	228
d-Limonene and l-limonene	229
β -Myrcene	231
β -Ocimene	232
α - and β -Phellandrene	233
α -Pinene	233
β -Pinene	235
Sabinene	235
γ -Terpinene	236
α -Terpinolene	237
Monoterpene alcohols (monoterpenols)	238
Borneol	238
β -Citronellol	239
Geraniol	240
d- and l-Linalool	242
l-Menthol	244
Nerol	246
Perillyl alcohol	247
α -Terpineol	249
Terpinen-4-ol	251
Monoterpene aldehydes	252
Citral	252
β -Citronellal	255
Perillaldehyde	255
Monoterpene ketones	256
Camphor	256
d- and l-Carvone	258
Fenchone	259
Menthone	260
Pinocamphone	261
Pulegone	261
Thujone	262
Verbenone	263
Monoterpene esters	264
Bornyl acetate	264
Citronellol esters – β -citronellyl acetate and β -citronellyl formate	266
Geranyl acetate	266
Linalyl acetate	267
Menthyl acetate	268
Methyl jasmonate	269
Neryl acetate	269
Sabinyl acetate	270
α -Terpinyl acetate	270
Monoterpene phenols	270
Carvacrol	270
Thymol	272
Monoterpene oxides	273
1,8-Cineole	273
Linalool oxide	275
Rose oxide	276
Sesquiterpenes	276
Cadinene	276
β -Caryophyllene	277
Cedrene	278
Chamazulene (and guaiazulene)	279
α -, β - and γ -Curcumene	280

<i>Elemene</i>	280	<i>α- and β-Zingiberenol</i>	297
<i>α- and β-Farnesene</i>	281	Phenylpropanoids	297
<i>β-Himachalene</i>	281	<i>trans-Anethole</i>	297
<i>α-Humulene (α-Caryophyllene)</i>	282	<i>para-Anisaldehyde</i>	298
<i>α- and β-Santalene</i>	282	<i>Benzyl acetate</i>	300
<i>β-Sesquiphellandrene</i>	283	<i>Benzyl benzoate</i>	300
<i>Thujopsene</i>	283	<i>Cinnamaldehyde</i>	301
<i>Zingiberene</i>	284	<i>Cinnamyl acetate</i>	302
Sesquiterpenoids (alcohols, oxides, aldehydes, ketones, esters)	284	<i>Elemicin</i>	302
<i>α-Bisabolol</i>	284	<i>Estragole</i>	303
<i>Bisabolol oxide</i>	286	<i>Eugenol</i>	304
<i>Carotol</i>	286	<i>Eugenyl acetate</i>	306
<i>Cedrol</i>	287	<i>Methyl benzoate</i>	307
<i>Elemol</i>	288	<i>Methyl cinnamate</i>	307
<i>Eudesmol</i>	289	<i>Methyl eugenol</i>	308
<i>Farnesol</i>	290	<i>trans-Methyl isoeugenol</i>	309
<i>Nerolidol</i>	291	<i>Methyl salicylate</i>	309
<i>Nootkatone</i>	292	<i>Myristicin</i>	310
<i>Patchoulol (patchouli alcohol)</i>	293	<i>Phenylethanol</i>	312
<i>Santalol</i>	294	<i>Vanillin</i>	313
<i>Turmerone</i>	295	Diterpenols	315
<i>Vetiverol</i>	296	<i>Sclareol</i>	315
<i>Viridiflorol</i>	296		

10. Essential Oils and Absolutes of the Angiospermae. 317

Introduction to the essential oil and absolute profiles	317	<i>Artemisia absinthium</i> – wormwood	335
Family Anacardiaceae	318	<i>Artemisia annua</i> – sweet wormwood, annual wormwood, sweet Annie	335
<i>Pistacia lentiscus</i> var. <i>chia</i> gum resin –		<i>Artemisia dracunculus</i> – tarragon, estragon	337
<i>Chios mastic</i>	319	<i>Artemisia ludoviciana</i> – sagebrush, prairie sage	338
<i>Schinus molle</i> – pink pepper	320	<i>Artemisia vulgaris</i> (common mugwort) and <i>Artemisia arborescens</i> (great mugwort)	338
<i>Schinus terebinthifolius</i> – Brazilian pepper	322	<i>Helichrysum angustifolium</i> (<i>H.</i> <i>italicum</i>), <i>H. orientale</i> (essential oil) and <i>H. stoechas</i> (absolute) – <i>immortelle</i> , everlasting	339
Family Annonaceae	323	<i>Inula graveolens</i> – sweet inula	342
Genus <i>Cananga</i>	323	<i>Matricaria recutita</i> – blue or German chamomile, Hungarian chamomile, Italian chamomilla, wild chamomile	343
<i>Cananga odorata</i> var. <i>genuina</i> – ylang ylang	323	<i>Ormenis multicaulis</i> – Moroccan chamomile, wild chamomile	346
<i>Cananga odorata</i> var. <i>macrophylla</i> – <i>cananga</i>	328	<i>Solidago canadensis</i> – golden rod	346
Family Araceae	329	Family Betulaceae	347
<i>Homalomena aromatica</i> – <i>ghandi</i> root, <i>sugandh mantri</i>	329	<i>Betula lenta</i> – sweet birch	347
Family Asteraceae	330	<i>Betula pendula</i> – silver birch bud	348
<i>Achillea millefolium</i> – yarrow	330		
<i>Anthemis nobilis</i> (<i>Chaemamelum</i> <i>nobile</i>) – Roman chamomile	332		
Genus <i>Artemisia</i>	335		

Family Burseraceae	348	Genus <i>Mentha</i>	391
<i>Boswellia carteri</i> , <i>B. sacra</i> , <i>B. serrata</i> ,		<i>Mentha citrata</i> – bergamot mint	
<i>B. papyrifera</i> – frankincense	349	(featured oil – folk medicine and chemistry)	391
<i>Bursera graveolens</i> – palo santo, holy wood, copal	351	<i>Mentha x piperita</i> – peppermint	395
<i>Canarium luzonicum</i> and		<i>Mentha spicata</i> var. <i>crispa</i> , <i>M. viridis</i>	
<i>C. commune</i> – elemi	352	– spearmint	397
<i>Commiphora myrrha</i> , <i>C. molmol</i> – myrrh	353	<i>Mentha x villosa</i> – mojito mint, Cuban mint, large apple mint	398
Family Canallaceae	356	<i>Monarda fistulosa</i> var. <i>menthaefolia</i> – monarda, wild bergamot, horsemint; and <i>M. didyma</i> – bee balm, red bergamot	399
<i>Cinnamosma fragrans</i> – saro	356	Genus <i>Ocimum</i>	400
Family Cannabaceae	357	<i>Ocimum basilicum</i> – basil, sweet basil	400
<i>Cannabis sativa</i> – cannabis	357	<i>Ocimum gratissimum</i> – pungent basil, clove basil, African basil	402
<i>Humulus lupulus</i> – hops	360	<i>Ocimum sanctum</i> – holy basil, tulsi	403
Family Cistaceae	361	Genus <i>Origanum</i>	405
<i>Cistus ladaniferus</i> , <i>C. creticus</i> aerial parts – cistus or rock rose	361	<i>Origanum majorana</i> – sweet marjoram	405
Family Cyperaceae	362	<i>Origanum vulgare</i> – oregano	407
<i>Cyperus scariosus</i> – nagarmotha, cyperus	363	<i>Perilla frutescens</i> – perilla	408
Family Ericaceae	364	<i>Pogostemon cablin</i> – patchouli	412
<i>Gaultheria procumbens</i> – wintergreen	364	Genus <i>Rosmarinus</i>	416
<i>Rhododendron anthopogon</i> – anthopogon	365	<i>Rosmarinus officinalis</i> – rosemary	416
Family Fabaceae	366	Genus <i>Salvia</i> – sage	422
<i>Copaifera officinalis</i> , <i>C. langsdorfi</i> – copaiba balsam (featured oil – emerging importance)	366	<i>Salvia desoleana</i> – Sardinian sage	424
Family Geraniaceae	371	<i>Salvia fruticosa</i> (<i>S. libanotica</i> , <i>S. triloba</i>) – Greek oregano, Lebanese sage, Greek or Cretan sage	425
Genus <i>Pelargonium</i>	372	<i>Salvia lavandulaefolia</i> – lavender-leaved sage, or Spanish sage	426
<i>Pelargonium x asperum</i> , or <i>P. roseum</i> (a hybrid of <i>P. capitatum</i> x <i>P. radens</i>), <i>P. capitatum</i> , <i>P. radens</i> and <i>P. odoratissimum</i> – geranium	372	<i>Salvia officinalis</i> – common or 'Dalmatian' sage	428
Family Grossulariaceae	375	<i>Salvia sclarea</i> – clary sage	433
<i>Ribes nigrum</i> – blackcurrant bud	375	<i>Salvia somalensis</i> – Somalian sage, wild	442
Family Lamiaceae	377	<i>Salvia stenophylla</i> – blue mountain sage	442
<i>Hyssopus officinalis</i> , <i>H. officinalis</i> var. <i>decumbens</i> – hyssop	377	Genus <i>Thymus</i>	443
Genus <i>Lavandula</i> – the lavenders (featured genus – genus dynamics)	378	<i>Thymus baeticus</i> – Spanish lemon thyme	444
<i>Lavandula angustifolia</i> – true lavender, English lavender	379	<i>Thymus capitatus</i> – Spanish oreganum	445
<i>L. latifolia</i> , <i>L. spica</i> subsp. <i>fragrans</i> – spike lavender	384	<i>Thymus hyemalis</i> – winter thyme	446
<i>Lavandula x intermedia</i> (sometimes <i>L. hybrida</i> Reverchon or <i>L. hortensis</i> Hy) – lavandin	385	<i>Thymus mastichina</i> – Spanish marjoram	447
<i>Lavandula stoechas</i> – French lavender	388	<i>Thymus quinquecostatus</i> – five-ribbed thyme, desert thyme	447
<i>Melissa officinalis</i> – lemon balm	388	<i>Thymus satureoides</i> – Moroccan thyme, borneol CT	448
		<i>Thymus serpyllum</i> – wild thyme, creeping thyme, mother of thyme	449
		<i>Thymus vulgaris</i> – garden or common thyme and its chemotypes	450
		<i>Thymus zygis</i> – Spanish thyme, red thyme	452
		Family Lauraceae	453
		Genus <i>Aniba</i>	453

<i>Aniba rosaeodora</i> – rosewood, bois de rose	453	<i>Eucalyptus macarthurii</i> – woollybutt,	
Genus <i>Cinnamomum</i>	455	Camden woollybutt	481
<i>Cinnamomum camphora</i> – camphor	456	<i>Eucalyptus olida</i> – strawberry gum	481
<i>Cinnamomum camphora</i> leaf oil		<i>Eucalyptus staigeriana</i> – lemon-	
chemotypes	457	scented ironbark	481
<i>Cinnamomum camphora</i> CT		<i>Kunzea ericoides</i> – kunzea or kanuka,	
1,8-cineole – ravintsara	457	white tea tree	482
<i>Cinnamomum camphora</i> CT linalool		<i>Psidium guajava</i> – guava leaf	484
– ho leaf	459	Genus <i>Leptospermum</i>	485
<i>Cinnamomum camphora</i> CT nerolidol	459	<i>Leptospermum petersonii</i> – lemon-	
<i>Cinnamomum glaucescens</i> – sugandha		scented tea tree	485
kokila, sugandhwal kokila, laurel berry	459	<i>Leptospermum scoparium</i> – manuka	486
<i>Cinnamomum verum</i> (zeylanicum) –		Genus <i>Melaleuca</i>	488
cinnamon bark and leaf	461	<i>Melaleuca alternifolia</i> – tea tree	488
Genus <i>Laurus</i>	462	<i>Melaleuca cajuputi</i> – cajuput	493
<i>Laurus nobilis</i> – laurel leaf or bay laurel	463	<i>Melaleuca ericifolia</i> – swamp	
Genus <i>Litsea</i>	465	paperbark, rosalina	494
<i>Litsea cubeba</i> – litsea, may chang,		<i>Melaleuca quinquenervia</i> – five-veined	
tropical verbena	465	paperbark, niaouli	494
Genus <i>Ravensara</i>	467	Genus <i>Myrtus</i>	496
<i>Ravensara aromatica</i> – aromatic ravensara	467	<i>Myrtus communis</i> – myrtle	496
Family Magnoliaceae	468	Genus <i>Pimenta</i>	498
<i>Michelia champaca</i> – golden		<i>Pimenta racemosa</i> – bay rum, West	
champaca; and <i>M. alba</i> – white		Indian bay, bay leaf, bay St Thomas,	
champaca or ‘magnolia blossom’	468	pimento leaf	499
Family Myristaceae	470	Genus <i>Syzygium</i> – clove bud	500
Genus <i>Myristica</i>	470	Genus <i>Taxandria</i> (formerly <i>Agonis</i>)	502
<i>Myristica fragrans</i> – nutmeg	470	<i>Taxandria fragrans</i> – fragonia,	
Family Myrtaceae	472	fragrant agonis	502
Genus <i>Eucalyptus</i>	473	Family Oleaceae	504
<i>The eucapharma</i> or 1,8-cineole-rich		Genus <i>Jasminum</i> – jasmine absolute	504
eucalypts	477	Genus <i>Osmanthus</i>	509
<i>Eucalyptus camaldulensis</i> – river red gum	477	<i>Osmanthus fragrans</i> – osmanthus,	
<i>Eucalyptus globulus</i> var. <i>globulus</i> –		sweet osmanthus	509
blue gum, globulus oil	477	Family Orchidaceae	511
<i>Eucalyptus polybractea</i> – blue-leaved		<i>Vanilla planifolia</i> , <i>V. tahitensis</i> , <i>V.</i>	
mallee	478	<i>pompona</i> – vanilla	511
<i>Eucalyptus smithii</i> – gully-gum	478	Family Pandanaceae	513
<i>Eucalyptus viridis</i> var. <i>viridis</i> – green		<i>Pandanus odoratissimus</i> – kewra or kewda	514
mallee	479	Family Piperaceae	515
Industrial or peppermint eucalypts	479	Genus <i>Piper</i> and piperine	515
<i>Eucalyptus dives</i> – broad-leaved		<i>Piper cubeba</i> – cubeb pepper	516
peppermint	479	<i>Piper longum</i> – long pepper	518
<i>Eucalyptus radiata</i> – narrow-leaved		<i>Piper nigrum</i> – black pepper	519
peppermint	480	Family Poaceae	521
Perfumery eucalypts	480	Genus <i>Chrysopogon</i>	521
<i>Eucalyptus citriodora</i> (<i>Corymbia</i>		Genus <i>Cymbopogon</i>	528
<i>citriodora</i>) – lemon-scented eucalyptus			
or gum	480		

<i>Cymbopogon citratus</i> – West Indian lemongrass	528	<i>Zanthoxylum bungeanum</i> – Chinese red pepper, red huajiao	600
<i>Cymbopogon martinii</i> var. <i>martinii</i> – palmarosa, motia	535	<i>Zanthoxylum piperitum</i> – Szechuan pepper; <i>Z. simulans</i> – sansho	601
<i>Cymbopogon martinii</i> var. <i>sophia</i> – gingergrass	538	Family Salicaceae	603
<i>Cymbopogon nardus</i> – citronella	539	<i>Populus balsamifera</i> – poplar bud	603
Family Rosaceae	540	Genus <i>Santalum</i>	604
Genus <i>Rosa</i>	540	Family Styraceae	616
Family Rutaceae	547	Genus <i>Styrax</i> – benzoin	616
Genus <i>Citrus</i>	547	Family Umbelliferae	617
<i>Citrus aurantifolia</i> /C. <i>medica</i> var. <i>acida</i> – lime	550	<i>Anethum graveolens</i> – dill seed	617
<i>C. aurantium</i> subsp. <i>amara</i> – bigarade orange, sour orange, bitter orange peel, petitgrain and neroli	554	<i>Angelica archangelica</i> – angelica	618
<i>C. aurantium</i> subsp. <i>bergamia</i> – bergamot	564	<i>Carum carvi</i> – caraway	622
<i>Citrus hystrix</i> – combava peel and petitgrain, kaffir lime, makrut lime	572	<i>Coriandrum sativum</i> – coriander seed	625
<i>Citrus x junos</i> – yuzu, cédrat	578	<i>Cuminum cyminum</i> – cumin	627
<i>Citrus limon</i> – lemon	580	<i>Daucus carota</i> – carrot seed	628
<i>Citrus grandis</i> (C. <i>maxima</i>) – pomelo, pommelo, pumello peel and petitgrain	585	<i>Ferula galbaniflua</i> – galbanum	634
<i>Citrus limetta</i> – sweet lime	588	<i>Foeniculum vulgare</i> var. <i>dulce</i> – sweet fennel	636
<i>Citrus paradisi</i> – grapefruit	589	<i>Levisticum officinale</i> – lovage	642
<i>Citrus reticulata</i> – mandarin, tangerine, satsuma, clementine	591	Family Valerianaceae	643
<i>Citrus sinensis</i> – sweet orange	594	<i>Nardostachys jatamansi</i> – spikenard	643
<i>Citrus tachibana</i> – tachibana	597	Family Violaceae	645
Genus <i>Coleonema</i>	598	Genus <i>Viola</i> – violet leaf	645
<i>Coleonema album</i> – Cape May	598	Family Zingiberaceae	647
Genus <i>Zanthoxylum</i>	599	<i>Alpinia galanga</i> – galangal	648
<i>Zanthoxylum armatum</i> – Nepal pepper (tomar seed)	600	<i>Curcuma longa</i> – turmeric	649
		<i>Elettaria cardamomum</i> – cardamom	652
		<i>Zingiber cassumunar</i> – plai (featured oil – an evidence base for practice)	655
		<i>Zingiber officinale</i> – ginger	662

11. Essential Oils of the Gymnospermae. 666

Introduction	666	Genus <i>Cupressus</i>	682
Family Cupressaceae	668	<i>Cupressus</i> (or <i>Chamaecyparis</i>) <i>funnebris</i> – Chinese cedarwood	683
Genus <i>Callitris</i>	668	<i>Cupressus lusitanica</i> – Mexican cypress, cypress <i>Lusitanica</i> , cedar of Goa	683
<i>Callitris intratropica</i> – blue cypress	669	<i>Cupressus sempervirens</i> – cypress, Italian cypress, Mediterranean cypress	684
<i>Callitropsis</i> (or <i>Chamaecyparis</i> or <i>Cupressus</i>) <i>nootkatensis</i> – yellow cedar (Nootka tree)	671	Genus <i>Juniperus</i>	686
Genus <i>Chamaecyparis</i>	673	<i>Juniperus ashei</i> – mountain cedar, Texan cedar	687
<i>Chamaecyparis lawsoniana</i> – Lawson or Port Orford cedar	673	<i>Juniperus communis</i> – juniper	687
<i>Chamaecyparis obtusa</i> – hinoki	674	<i>Juniperus osteosperma</i> – Utah juniper	690
Genus <i>Cryptomeria</i>	679	<i>Juniperus oxycedrus</i> – prickly cedar, prickly juniper, medlar, cade wood and berry	691
<i>Cryptomeria japonica</i> – Japanese cedar	679		

<i>Juniperus sabina</i> – savin, shrubby red cedar	692	<i>Picea engelmannii</i> – Engelmann spruce	706
<i>Juniperus virginiana</i> – Virginian cedarwood, eastern red cedar	693	<i>Picea glauca</i> – white spruce	707
Genus <i>Thuja</i>	695	<i>Picea mariana</i> – black spruce	707
<i>Thuja occidentalis</i> – Northern white cedar, thuja	695	<i>Picea pungens</i> – blue spruce	708
Family Pinaceae	696	<i>Picea rubens</i> – red spruce	708
Genus <i>Abies</i>	696	<i>Picea sitchensis</i> – sitka spruce	709
<i>Abies alba</i> – silver fir	697	Genus <i>Pinus</i> (featured genus – the archetypal conifer)	710
<i>Abies balsamea</i> – balsam fir	697	<i>Pinus cembra</i> – stone or umbrella pine	717
<i>Abies concolor</i> – Colorado fir	698	<i>Pinus contorta</i> – lodgepole pine	717
<i>Abies koreana</i> – Korean fir	699	<i>Pinus divaricata</i> – jack pine	717
<i>Abies lasiocarpa</i> – alpine fir	700	<i>Pinus edulis</i> – piñon pine	718
<i>Abies nordmanniana</i> – Nordmann fir, Turkish fir	700	<i>Pinus mugo</i> – dwarf pine	719
<i>Abies procera</i> – noble fir	700	<i>Pinus nigra</i> – black or Austrian pine	719
<i>Abies sachalinensis</i> – Japanese fir	701	<i>Pinus nigra</i> subsp. <i>laricio</i> – the laricio or Corsican pine	720
<i>Abies sibirica</i> – Siberian fir	701	<i>Pinus pinaster</i> – sea or maritime pine	721
<i>Abies spectabilis</i> – Himalayan fir	702	<i>Pinus ponderosa</i> – ponderosa or Patagonia pine	721
Genus <i>Cedrus</i>	702	<i>Pinus resinosa</i> – Norway or red pine	722
<i>Cedrus atlantica</i> – Atlas cedar	703	<i>Pinus strobus</i> – white pine	723
<i>Cedrus deodara</i> – Himalayan cedar	704	<i>Pinus sylvestris</i> – Scots pine	723
Genus <i>Larix</i>	705	Genus <i>Pseudotsuga</i>	725
<i>Larix decidua</i> – larch	705	<i>Pseudotsuga menziesii</i> – Douglas fir	725
Genus <i>Picea</i>	705	Genus <i>Tsuga</i>	726
<i>Picea abies</i> – Norway or excelsa spruce	706	<i>Tsuga canadensis</i> – hemlock spruce	726

Appendices

A. <i>Fragrance and the Four Elements</i>	731
B. <i>An Introduction to Organic Chemistry</i>	732
C. <i>Components – Therapeutic Actions for Blending</i>	740
D. <i>Essential Oils and Absolutes – Principal Indications for Aromatic Therapy</i>	748
E. <i>Sample Formulae – Massage Oils, Body Oils, Butters, Salves and Bath Salts</i>	757
References	765
Resources	885
Essential Oils and Absolutes Index	887
Subject Index.	896
Author Index	914